AUTHOR INDEX

Page numbers in italics indicate biographic notes about the authors concerned.

Amin, K. E., 361, *393*

Bartz, W. J., 167
Brandt, G., 243, *393*
Brewe, D. E., 63, *239*
Bryggman, U., 203, *239*

Carro, G., 285, *393*

Eliezer, Z., 375, *393*
El-Zahry, R. M., 349, *393*
Ericson, F., 107, *239*

Frees, N., 193

Hammarsten, Å., 139, *239*
Hatsuzawa, T., 273
Höglund, E., 223
Hogmark, S., 83, 139, 151, 203, *239*
Holinski, R., 167
Holmberg, K., 95
Hörnström, S. E., 151, *239*

Ikeda, O., 273
Isaksson, O., 3

Jacobson, B. O., 63, *239*
Jacobson, S., 83, *240*
Janczak, K. J., 75, *240*
Johannesson, H. L., 121
Johansson, S., 107, *240*

Karlsson, S. E., 151, *240*

Lehtinen, B., 151, *240*
Lehtovaara, A., 131, *240*
Lindgren, H., 31, *240*
Linzer, M., 273

Magnin, A., 301, *393*
Mäkelä, U., 215
Mikus, M., 243, *394*

Otterberg, R., 151, *240*

Pearsall, K. J., 375, *394*
Piau, J. M., 301
Prabhu, B. S., 383, *394*

Raman, S., 265, *394*
Rao, B. V. A., 383, *394*

Sadat, A. B., 265, *394*
Santhanakrishnan, G., 383, *394*
Sato, T., 273
Schweitz, J.-A., 107, *240*
Strozzi, A., 53, *240*
Studt, P., 185
Sundberg, M., 151, *241*
Sundberg, R., 151, *241*

Tønder, K., 19

Valli, J., 215
Vingsbo, O., 203, *241*

Wallén, P., 83, *241*
Wert, J., 285, *394*
Wickstrom, G., 95
Wiśniewski, M. R., 75, *241*

Xu, J., 167

Yahata, N., 337, *395*

Zhang, Y., 41

© Elsevier Sequoia/Printed in The Netherlands

SUBJECT INDEX

Abrasion
correlation between groove size, wear rate and topography of abraded surfaces, 83
prediction of gouging abrasion resistance of steel by pendulum grooving and other laboratory test methods, 203
Acoustics
detection of tool flank wear using acoustic signature analysis, 265
Additives
influence of lubricating oil additives on friction of ceramics under conditions of boundary lubrication, 185
Adhesion
applications of the scratch test method for coating adhesion assessment, 215
Aluminium
an electron microprobe and cathodoluminescence study of chemical reactions between tool and workpiece when turning steel with alumina-based ceramics, 243
an X-ray diffraction study of the triaxial normal residual stresses in worn Al bronze surfaces, 285
Asperities
friction characteristics of lubricated Cu surfaces with controlled asperity sizes, 361

Bearings
the effect of vibration amplitude on vapour cavitation in journal bearings, 63
linear deformation of a journal bearing and its relationship to hydrodynamic pressure, 41
Boundary lubrication
influence of lubricating oil additives on friction of ceramics under conditions of boundary lubrication, 185
Brass
metallographic aspects on wear of special brass, 151
Bronze
an X-ray diffraction study of the triaxial normal residual stresses in worn Al bronze surfaces, 285

Carbon
commutator carbon brush effect on the coastdown times of a horizontal motor and a motor–rotor coupled system, 383
effect of lapping on the fatigue strength of a hardened 13Cr–0.34C stainless steel, 337
Cathodoluminescence
an electron microprobe and cathodoluminescence study of chemical reactions between tool and workpiece when turning steel with alumina-based ceramics, 243
Cavitation erosion
the effect of vibration amplitude on vapour cavitation in journal bearings, 63
Ceramics
an electron microprobe and cathodoluminescence study of chemical reactions between tool and workpiece when turning steel with alumina-based ceramics, 243
influence of lubricating oil additives on friction of ceramics under conditions of boundary lubrication, 185
Chlorine
frictional characteristics of AISI 304 stainless steel in NaCl aqueous solutions, 375
Chromium
effect of lapping on the fatigue strength of a hardened 13Cr–0.34C stainless steel, 337
Coatings
applications of the scratch test method for coating adhesion assessment, 215
Commutator
commutator carbon brush effect on the coastdown times of a horizontal motor and a motor–rotor coupled system, 383
Contacts
an assessment of the numerical solution

© Elsevier Sequoia/Printed in The Netherlands

of the elastohydrodynamic problem for soft contacts, 53
the influence of eccentricity on the pressure distributions in O-ring seal contacts, 121
influence of polyalkylmethacrylate and sulphurized ester on oil film thickness in an elastohydrodynamic point contact, 223
pressure distribution in scraper ring contacts, 31
Copper
friction characteristics of lubricated Cu surfaces with controlled asperity sizes, 361

Deformation
linear deformation of a journal bearing and its relationship to hydrodynamic pressure, 41

Elastohydrodynamics
an assessment of the numerical solution of the elastohydrodynamic problem for soft contacts, 53
influence of polyalkylmethacrylate and sulphurized ester on oil film thickness in an elastohydrodynamic point contact, 223
influence of surface roughness parameters on elastohydrodynamic film thickness, 75
Erosion
solid particle erosion — a statistical method for evaluation of strength properties of semiconducting materials, 107

Fatigue
effect of lapping on the fatigue strength of a hardened 13Cr–0.34C stainless steel, 337
Friction
friction characteristics of lubricated Cu surfaces with controlled asperity sizes, 361
friction and wear tests of polymers, 95
frictional characteristics of AISI 304 stainless steel in NaCl aqueous solutions, 375
on the hydrodynamic characteristics of the secondary shear zone metal machining with sticking–sliding friction using the boundary layer theory, 349
influence of lubricating oil additives on friction of ceramics under conditions of boundary lubrication, 185
influence of vibration on the kinetic friction between plastics and ice, 131

Gouging
prediction of gouging abrasion resistance of steel by pendulum grooving and other laboratory test methods, 203
Grooving
prediction of gouging abrasion resistance of steel by pendulum grooving and other laboratory test methods, 203

Hydraulics
rheology for water-based hydraulic fluids, 3
Hydrodynamics
effects of skew unidirectional striated roughness on hydrodynamic lubrication, 19
on the hydrodynamic characteristics of the secondary shear zone metal machining with sticking–sliding friction using the boundary layer theory, 349
hydrodynamic lubrication of a circular thread, 301
linear deformation of a journal bearing and its relationship to hydrodynamic pressure, 41

Ice
influence of vibration on the kinetic friction between plastics and ice, 131

Laser
real-time evaluation of wear particles using electromagnetic forced rotation and laser scattering, 273
Lubricants
tribological behaviour of two- and three-component bonded solid lubricants, 167
Lubrication
effects of skew unidirectional striated roughness on hydrodynamic lubrication, 19
friction characteristics of lubricated Cu surfaces with controlled asperity sizes, 361

hydrodynamic lubrication of a circular thread, 301
influence of lubricating oil additives on friction of ceramics under conditions of boundary lubrication, 185

Machining
on the hydrodynamic characteristics of the secondary shear zone metal machining with sticking–sliding friction using the boundary layer theory, 349
Metallography
metallographic aspects on wear of special brass, 151
Metals
on the hydrodynamic characteristics of the secondary shear zone metal machining with sticking–sliding friction using the boundary layer theory, 349
Motor–rotor couple
commutator carbon brush effect on the coastdown times of a horizontal motor and a motor–rotor coupled system, 383

Oils
influence of lubricating oil additives on friction of ceramics under conditions of boundary lubrication, 185
influence of polyalkylmethacrylate and sulphurized ester on oil film thickness in an elastohydrodynamic point contact, 223

Particles
real-time evaluation of wear particles using electromagnetic forced rotation and laser scattering, 273
solid particle erosion — a statistical method for evaluation of strength properties of semiconducting materials, 107
Pendulum grooving
prediction of gouging abrasion resistance of steel by pendulum grooving and other laboratory test methods, 203
Plastics
influence of vibration on the kinetic friction between plastics and ice, 131
Polyalkylmethacrylate
influence of polyalkylmethacrylate and sulphurized ester on oil film thickness in an elastohydrodynamic point contact, 223
Polymers
friction and wear tests of polymers, 95

Rheology
rheology for water-based hydraulic fluids, 3
Rolling
a high temperature test rig for sliding and rolling wear, 139
Roughness
effects of skew unidirectional striated roughness on hydrodynamic lubrication, 19
influence of surface roughness parameters on elastohydrodynamic film thickness, 75

Scraper ring
pressure distribution in scraper ring contacts, 31
Scratch test
applications of the scratch test method for coating adhesion assessment, 215
Seals
the influence of eccentricity on the pressure distributions in O-ring seal contacts, 121
Semiconductors
solid particle erosion — a statistical method for evaluation of strength properties of semiconducting materials, 107
Sliding
a high temperature test rig for sliding and rolling wear, 139
on the hydrodynamic characteristics of the secondary shear zone metal machining with sticking–sliding friction using the boundary layer theory, 349
Sodium
frictional characteristics of AISI 304 stainless steel in NaCl aqueous solutions, 375
Steel
effect of lapping on the fatigue strength of a hardened 13Cr–0.34C stainless steel, 337
an electron microprobe and cathodoluminescence study of chemical reactions between tool and workpiece when turning steel with alumina-based ceramics, 243

frictional characteristics of AISI 304 stainless steel in NaCl aqueous solutions, 375
prediction of gouging abrasion resistance of steel by pendulum grooving and other laboratory test methods, 203
Sticking
on the hydrodynamic characteristics of the secondary shear zone metal machining with sticking–sliding friction using the boundary layer theory, 349
Stresses
an X-ray diffraction study of the triaxial normal residual stresses in worn Al bronze surfaces, 285
Surfaces
correlation between groove size, wear rate and topography of abraded surfaces, 83
friction characteristics of lubricated Cu surfaces with controlled asperity sizes, 361
influence of surface roughness parameters on elastohydrodynamic film thickness, 75
an X-ray diffraction study of the triaxial normal residual stresses in worn Al bronze surfaces, 285

Tools
detection of tool flank wear using acoustic signature analysis, 265
an electron microprobe and cathodoluminescence study of chemical reactions between tool and workpiece when turning steel with alumina-based ceramics, 243
Tribological properties
tribological behaviour of two- and three-component bonded solid lubricants, 167

Vibration
the effect of vibration amplitude on vapour cavitation in journal bearings, 63
influence of vibration on the kinetic friction between plastics and ice, 131

Wear
characterizing and solving of industrial wear problems, 193
correlation between groove size, wear rate and topography of abraded surfaces, 83
detection of tool flank wear using acoustic signature analysis, 265
friction and wear tests of polymers, 95
a high temperature test rig for sliding and rolling wear, 139
metallographic aspects on wear of special brass, 151
real-time evaluation of wear particles using electromagnetic forced rotation and laser scattering, 273

X-ray diffraction
an X-ray diffraction study of the triaxial normal residual stresses in worn Al bronze surfaces, 285